

Step-by-step guide to submitting your ePortfolio extract for Review

When can I submit my CPD cycles?

If you have been selected for ePortfolio Review, on Monday 7 January 2019 the IIOP ePortfolio System will send an email to the email address registered on your IIOP profile notifying you that you may now submit CPD Cycles from your ePortfolio in line with the requirements of the 2018/19 ePortfolio Review Standards.



Excerpt from email notification.

You will have until Sunday 27 January to submit your extract. You may submit cycles at any stage during the three-week submission window, and you may make more than one submission.

How do I submit my cycles?

You can submit your cycles for review from the *Completed cycles* section of your ePortfolio. Log into the IIOP website (<u>https://www.iiop.ie</u>) using your usual log in details, and then click on the ePortfolio Folder icon ¹ to open your ePortfolio home page.



Location of link to ePortfolio homepage on the IIOP website

Step 1: Click on your Manage Cycles tab <!

You will be automatically brought to your *Open Cycles* tab which contains a list of all of your open (i.e. unfinished) cycles.





Step 2: Open your Completed cycles tab

When the submission window opens (7 January 2019) you will notice three new features within your *Completed cycles* section which will assist you in submitting your ePortfolio extract;

- A Check readiness button ①
- A Submit for review button 2
- A Submitted column ³

Title			Cycle Type	Created	Closed	Submitted
) ePortf	folio Review		Manual	18/08/2018	30/08/2018	- 3
) Manag	Managing My Time		Manual	17/07/2018	30/08/2018	1.77
) Epilep	Epilepsy			02/05/2018	30/08/2018	-
) New R	Regulations on medical de	evices and in-vitro diagnostic	Manual	13/03/2018	30/08/2018	
] Prosta	ate Cancer		Manual	20/08/2015	05/09/2018	-
2. Click t Standa	ne <i>Check readiness</i> butto ards. you have identified cycle	n, which will review the selected c (s) which meet the System Based :	ycie(s) collectively, a Standards click the <i>S</i> feedback on how th	ina indicate if th Submit for Review e submitted cycl	v button. le(s) fare against	the System

The Completed cycles page listing all completed cycles

Step 3: Use the Ready Reckoner to help select the cycles that meet the System Based Standards

The *Check readiness* function is an optional feature within the Ready Reckoner. It helps you to identify cycles to submit which collectively meet all of the System Based Standards. You do not have to complete this step, however we encourage you to do so. Using this feature will help ensure your submission meets all of the System Based Standards.

Select the cycles you intend to submit using the checkboxes on the left hand column 1 and click the *Check* readiness button 2

e-Portfolio home cycles Abandoned cycles Search	My review FAM	Q5 My pr	ofile	
1 ✓ Title	Cycle Type	Created	Closed	Submitted
🗹 ePortfolio Review	Manual	18/08/2018	30/08/2018	-
Managing My Time	Manual	17/07/2018	30/08/2018	_
S Epilepsy	Manual	02/05/2018	30/08/2018	_
\checkmark New Regulations on medical devices and in-vitro diagnostic	Manual	13/03/2018	30/08/2018	_
🗹 Dovonex ®	Manual	08/07/2016	10/09/2018	_
✓ Prostate Cancer	Manual	20/08/2015	05/09/2018	-
 Submitting CPD Cycles. Select the cycle(s) you intend to submit using the check boxes in ti Click the <i>Check readiness</i> button, which will review the selected cy Standards. When you have identified cycle(s) which meet the System Based St The Ready Reckoner will automatically appear, providing instant f Based Standards. Any red warning icons on your Ready Reckoner s Following each submission of one or more cycle(s), an email will be sent submission. 	he left hand columr cle(s) collectively, a tandards click the <i>S</i> eedback on how the hould be actioned b to your IIOP registe	nd indicate if th ubmit for Review e submitted cycl pefore the subm ered email addre	ney meet the Sy v button. (e(s) fare agains ission period cl ess acknowledgi	stem Based It the System oses. ing your
Re-open 🕅 Abandon 👁 Submit for review			•	Check readiness

The Ready Reckoner will appear on screen and provide you with feedback on how these cycles fare collectively against the System Based Standards, using green and red lights. The Ready Reckoner compares your selected cycles (*Submitted*) against each of the System Based Standards (*Required*) and uses green and red lights to show if the selected cycles meet each of the standards.

A red light in the *On track* column indicates that a System Based Standard **HAS NOT** been met within the selection of cycles chosen, such as the example below.

Ready reckoner

Below you can see how the cycles you have selected fare against each of the System Based Standards.

The Ready Reckoner compares your selected cycles (Submitted) against each of the System Based Standards (Required) and uses green and red lights to show if the selected cycles meet each of the standards.

You should submit a selection of cycles, which collectively meet all of the standards, resulting in all green lights in the On track column. Any cycles that you have previously submitted in this review are taken into account.

Please note: This is not a submission - to submit your cycle(s) you must click the Submit for review button.

LEARNING CYCLE STATISTICS

Description		Submitted	Required	On track
CPD cycles submitted for review (current year)		4	4	•
CPD cycles submitted for review (previous 4 years	5)	1	2	•
CPD cycles starting at "Self Appraisal" stage		3	2	•
CPD cycles created from self assessment against	CCF (current year)	2	1	•
Core Competency Framework domains identified	3	2	٠	
	STAGES			
Description	Stage	Number submitted	Required	On track
Learning needs identified	Self appraisal	2	2	•
Learning resource types identified	Action	2	3	•
Practice impact types identified	Evaluation	4	2	•

Check readiness feedback - System Based Standards Not Met

You may repeat this step as many times as required until you identify a selection of cycles which meet the System Based Standards, resulting in all green lights in the *On track* column as below.

×

Ready reckoner

Below you can see how the cycles you have selected fare against each of the System Based Standards.

The Ready Reckoner compares your selected cycles (Submitted) against each of the System Based Standards (Required) and uses green and red lights to show if the selected cycles meet each of the standards.

You should submit a selection of cycles, which collectively meet all of the standards, resulting in all green lights in the On track column. Any cycles that you have previously submitted in this review are taken into account.

Please note: This is not a submission - to submit your cycle(s) you must click the Submit for review button.

LEARNING CYCLE STATISTICS

Description		Submitted	Required	On track
CPD cycles submitted for review (current year)		4	4	٠
CPD cycles submitted for review (previous 4 year	S)	2	2	•
CPD cycles starting at "Self Appraisal" stage		3	2	•
CPD cycles created from self assessment against	CCF (current year)	2	1	•
Core Competency Framework domains identified	in the submitted extract	3	2	•
	STAGES			
Description	Stage	Number submitted	Required	On track
Learning needs identified	Self appraisal	2	2	•
Learning resource types identified	Action	5	3	•
Practice impact types identified	Evaluation	5	2	•
		Overall	progress: or	n track 🔵
				Close
 Check read	<i>liness</i> feedback – System Based St	tandards Met		

NOTE: Ready Reckoner only checks the ePortfolio extract against the System Based Standards. Pharmacists should also review the content of their cycles to ensure they meet the Peer Review Standards. More information can be found in the *How to Meet the Peer Review Standards* PDF and interactive Guides.

Step 4: Check that your cycles do not breach patient confidentiality or data protection requirements

When you have identified the cycles you wish to submit, you should review each cycle, and any attachments included, to ensure it does not contain any patient or colleague sensitive data. When you attempt to submit one or more CPD cycles, a pop-up message will ask you to confirm that your submission does not breach patient or colleague confidentiality as per Data Protection legislation and the General Data Protection Regulation (GDPR).

Х

▲ Important ×	
By submitting these cycles for review, you confirm that they do not contain any patient or colleague specific information as per Data Protection legislation and the General Data Protection Regulation (GDPR).	
Any submitted cycles found to contain either patient or colleague sensitive information will not be reviewed and may result in an outcome of Standard Not Met.	
Proceed Cancel	

Pop-up notification on submission to confirm compliance with privacy and data protection rules

Any submitted CPD cycle found to contain either patient or colleague sensitive information **WILL NOT** be reviewed. This may result in an outcome of Standard Not Met. Pharmacists must review all cycles they intend to submit to ensure there is no confidentiality breach.

Step 5: Submit cycles for review

Before making a submission, you should be satisfied the cycles you intend to submit:

- Meet the System Based Standards
- Meet the Peer Review Standards
- Do not contain any patient or colleague sensitive information

Select the cycles you intend to submit using the tick boxes on the left hand column (1) and click the *Submit for review* button. (2)

Ope	n cycles	Completed cycles	Abandoned cycles Search				
1	Title			Cycle Type	Created	Closed	Submittee
1	ePortfol	lio <mark>Re</mark> view		Manual	18/08/2018	30/08/2018	(4 <u>147</u>)
1	Managin	ng My Time		Manual	17/07/2018	30/08/2018	53 113 5
1	Epilepsy			Manual	02/05/2018	30/08/2018	(4 <u>147</u>)
1	New Regulations on medical devices and in-vitro diagnostic			Manual	13/03/2018	30/08/2018	5 747 5
1	Prostate	e <mark>Cancer</mark>		Manual	20/08/2015	30/08/2018	9 <u>88</u> 2
ub	mitting Cl 1. Select th 2. Click the Standard 3. When you 4. The Rea Based St owing each	PD Cycles. he cycle(s) you intend to e <i>Check readiness</i> button ds. ou have identified cycle(dy Reckoner will autom tandards. Any red warni 1 submission of one or n	submit using the check boxes in the , which will review the selected cycl s) which meet the System Based Sta atically appear, providing instant fee ng icons on your Ready Reckoner sh nore cycle(s), an email will be sent to	e left hand columi e(s) collectively, a ndards click the S edback on how th ould be actioned l o your IIOP registo	1. and indicate if th <i>lubmit for Reviev</i> e submitted cyc pefore the subm ered email addr	hey meet the Syn v button. le(s) fare againsi ission period clo ess acknowledgi	stem Based t the System oses. ng your

Step 6: Check for acknowledgement of submission

When you submit one or more cycles the system displays an instant notification in the form of an on-screen message ¹ acknowledging your submission. An email is also sent to the email address registered on your IIOP profile. ²

1 cycle(s) submitted for review		×
	Disclar Sitema © IIOP 20 X NOTIFICATION: Acknowledgement of receipt of cycle(

System notifications to acknowledge the submission of one or more CPD cycles

These notifications are an acknowledgement that the cycle(s) have been successfully transmitted. Within the Completed Cycles section of your ePortfolio the Submitted column will show a green tick ³ beside each cycle that has been submitted.

	e-Portfolio home	Manage cycles	in the last of the	My review PENDING	EAQs My	profile	
Open cyc <mark>les</mark>	Completed cycles	Abandoned cycle	es Searc	h			
Title				Cycle Type	Created	Closed	Submitted
ePortfolio Re	view			Manual	18/08/2018	30/08/2018	*
Managing My	y Time			Manual	17/07/2018	30/08/2018	-
Epilepsy				Manual	02/05/2018	30/08/2018	~
New Regulation	ions on medical devices	and in-vitro diagn	ostic	Manual	13/03/2018	30/08/2018	~
Prostate Can	cer			Manual	20/08/2015	30/08/2018	*
							3

Completed cycles after submission of cycles for review

Step 7: Check your submission against the Ready Reckoner

When one or more cycles are submitted, the Ready Reckoner screen automatically appears to show your progress for that submission. It compares submitted cycles (*Submitted*) against each of the System Based Standards (*Required*) and uses green and red lights to show if the selected cycles meet each of the standards. A green light indicates that the System Based Standard has been met, a red light and *Action required* icon indicates that you must take further action to meet the particular standard.

In the example below, there are two Action required messages, which means that two System Based Standards have not yet been met;

- CPD Cycle submitted for review (last 4 years)
- Learning Resource types identified

	e-Portfolio home	Manage My progress cycles	In the second se	≥s My pro	ofile	
My reviews	Ready reckoner					
		LEARNING CYCLE	STATISTICS			
Description			Submitted	Required	On track	Action required
CPD cycles sub	mitted for review (currer	4	4	•	none	
CPD cycles sub	mitted for review (previo	1	2	٠		
CPD <mark>cycles</mark> star	rting at "Self Appraisal" s	3	2	•	none	
CPD cycles crea	ated from self assessmen	t against CCF (current year)	2	1	٠	none
Core Competer	ncy Framework domains i	dentified in the submitted extract	3	2	•	none
		STAGES				
Description		Stage	Number submitted	Required	On track	Action required
Learning needs	dentified	Self appraisal	2	2	٠	none
Learning resou	rce types identified	Action	2	3	۲	
Practice impact	t types identified	Evaluation	4	2	0	none
			Overall pro	gress: not or	track 🔴	

The Ready Reckoner screen after submission – System Based Standards Not Met

Clicking the Action required icon (1) provides specific information on action required to meet the standard. The CPD cycles submitted for review (previous 4 years) message tells this pharmacist that they need to submit two CPD cycles from the previous four years (i.e. a cycle created in 2014, 2015, 2016 or 2017) to meet the standard. You can see from the Submitted column on the Ready Reckoner that so far only one cycle has been submitted.

CPD cycles submitted for review (previous 4 years)	×
In order to meet this standard, please submit two CPD cycles created in the previou years (2014-2017).	s four
Note: If you have more than one action point, one additional cycle may satisfy mult requirements.	iple
CI	ose

Example pop-up warning message from the Ready Reckoner screen

The standard *Learning Resource types identified* is also red. When the Action required icon is clicked, the message tells this pharmacist that they still need to submit a cycle that identifies an additional learning resource type. You can see from the *Submitted* column on the Ready Reckoner that three are required, but only two have been submitted.



Another example pop-up warning message from the Ready Reckoner screen

Step 8: Submitting further cycles if required

If the System Based Standards are not met following a submission, as indicated by red lights on the Ready Reckoner, you can submit more completed cycles for review.

NOTE: There is no limit to the number of cycles you can submit or the number of times you may submit cycles throughout the three-week submission period.

In the example above both unmet standards could be addressed on submission of one additional cycle created in the previous four years (2014-2017) which includes identification of a different learning resource type used. As described in Step 3, this pharmacist can select one or more cycles from their *Completed cycles* and use the *Check readiness* button to determine if submission of the additional cycle(s) will meet the System Based Standards. The Ready Reckoner will review the entire extract i.e. cycles already submitted and the 'new' cycle the pharmacist intends to submit, and again, uses red and green lights to show if, collectively, they meet each of the System Based Standards.

e-Portfolio M home	Ianage My progress	Ay review PENDING	25 My pro	file	
My reviews Ready reckoner					
	LEARNING CYCLE	STATISTICS			
Description		Submitted	Required	On track	Action required
CPD cycles submitted for review (current yea	4	4	•	none	
CPD cycles submitted for review (previous 4	2	2	٠	none	
CPD cycles starting at "Self Appraisal" stage	3	2	٠	none	
CPD cycles created from self assessment agai	inst CCF (current year)	2	1	٠	none
Core Competency Framework domains identi	ified in the submitted extract	3	2	•	none
	STAGES	5			
Description	Stage	Number submitted	Required	On track	Action required
Learning needs identified Self appraisal		2	2	•	none
Learning resource types identified	Action	5	3	٠	none
Practice impact types identified	Evaluation	5	2	•	none

Submitting more cycles based on Ready Reckoner messages

Following submission of these additional cycle(s), the Ready Reckoner screen once again automatically opens and acknowledges the submission of the additional cycle(s).

The pharmacist can confirm that the additional cycle submitted in the last step meets the System Based Standards. The red warning triangles are no longer present as each System Based Standard has been met, indicated by green lights in the *On track* column.

My reviews Rea	ady reckoner					
		LEARNING CYCLE ST	ATISTICS			
Description			Submitted	Required	On track	Action required
CPD cycles submitted for review (current year)			4	4	0	none
CPD cycles submitted for review (previous 4 years)			2	2	0	none
CPD cycles starting at "Self Appraisal" stage			4	2	0	none
CPD cycles created from self assessment against CCF (current year)			1	1	0	none
Core Competency Framework domains identified in the submitted extract			3	2	•	none
		STAGES				
Description		Stage	Number submitted	Required	On track	Action required
Learning needs ident	ified	Self appraisal	3	2	0	none
Learning resource ty	pes identified	Action	4	3	•	none
Practice impact type	s identified	Evaluation	6	2	•	none

Green lights: The ready reckoner now shows that all System Based Standards have been met

When you have all green lights on your Ready Reckoner screen, you have met the System Based Standards and are not required to submit any further cycles.